

BRACAnalysis CDx® Genetic Test Result

FDA Approved BRCA1 and BRCA2 Analysis Result

BRACAnalysis CDx®

RECEIVING HEALTHCARE PROVIDER

Test HCP, MD
Test Medical Center
6609 BLANCO RD STE 200
SAN ANTONIO, TX 78216

SPECIMEN

Specimen Type: Blood
Draw Date: Nov 11, 2024
Accession Date: Nov 11, 2024
Report Date: Nov 12, 2024

PATIENT

Legal Name: Pt Last Name,
Pt First Name
Date of Birth: Nov 11, 1979
Patient ID: Patient id

Sex at Birth: F

Accession #: 07383012-BLD Requisition #: 47822947



GENETIC RESULT: NEGATIVE - NO CLINICALLY SIGNIFICANT MUTATION IDENTIFIED

At this time, any genetic changes identified in this report are not known to warrant modification of the patient's medical management beyond what is indicated by the patient's personal and family history.

ADDITIONAL FINDINGS: NO VARIANT(S) OF UNCERTAIN SIGNIFICANCE (VUS) IDENTIFIED

ADDITIONAL INFORMATION

Genes Analyzed: Unless otherwise noted sequencing and large rearrangement analyses were performed on the following genes:

BRCA1, BRCA2

Intended Use: BRACAnalysis CDx[®] is an *in vitro* diagnostic device intended for the qualitative detection and classification of variants in the protein-coding regions and intron/exon boundaries of the *BRCA1* and *BRCA2* genes using genomic DNA obtained from whole blood specimens collected in EDTA. Single nucleotide variants and small insertions and deletions (indels) are identified by polymerase chain reaction (PCR) and Sanger sequencing. Large deletions and duplications in *BRCA1* and *BRCA2* are detected using multiplex PCR.

Results of the test are used as an aid in identifying patients who are or may become eligible for treatment with the targeted therapies listed in Table 1 in accordance with the most recently approved therapeutic product labeling.

Table 1. Companion Diagnostic Indications

Tumor Type	Biomarker	Therapy
Breast Cancer	Deleterious or suspected deleterious mutations in BRCA1 and BRCA2 genes	Lynparza [®] (olaparib)
		Talzenna [®] (talazoparib)
Ovarian Cancer	Deleterious or suspected deleterious mutations in BRCA1 and BRCA2 genes	Lynparza [®] (olaparib)
		Zejula [®] (niraparib)
Pancreatic Cancer	Deleterious or suspected deleterious mutations in BRCA1 and BRCA2 genes	Lynparza [®] (olaparib)
Prostate Cancer	Deleterious or suspected deleterious mutations in BRCA1 and BRCA2 genes	Lynparza [®] (olaparib)





56207366

BRACAnalysis CDx® Genetic Test Result

Name: Pt Last Name, Pt First Name DOB: Nov 11, 1979 Accession #: 07383012-BLD Report Date: Nov 12, 2024

The BRACAnalysis CDx® assay is for professional use only and is performed exclusively at Myriad Genetic Laboratories, Inc. site located in Salt Lake City, UT.

Contraindication:

Patients who have undergone a previous allogeneic bone marrow transplant should not be tested with the BRACAnalysis CDx[®] test.

Limitations:

- Patients under consideration for testing who have been diagnosed with a hematologic malignancy, such as leukemia, could
 generate a positive (deleterious or suspected deleterious) result that is somatic, and not germline, due to chromosome
 instability.
- The classification and interpretation of all variants identified reflects the current state of scientific understanding at the time the result report is issued. In some instances, the classification and interpretation of variants may change as scientific information becomes available.
- Limitation: In Ovarian Cancer, ~70% of tumor BRCA1 or BRCA2 mutation positive patients are estimated to have a germline mutation while ~30% of patients are estimated to have a somatic mutation. In Prostate Cancer, ~50% of tumor BRCA1 or BRCA2 mutation positive patients are estimated to have a germline mutation while ~50% of patients are estimated to have a somatic mutation. The BRACAnalysis CDx test detects germline mutations only, not somatic mutations from patient's blood sample. A negative result using the BRACAnalysis CDx blood test in ovarian and prostate cancer patients does not rule out the possibility of a somatic BRCA1 or BRCA2 mutation in tumor tissue from these patients.

For more detailed information, including a complete list of Contraindications, Limitations, Warnings and Precautions of the assay, please see page 2 of the BRACAnalysis CDx® Technical Information at: https://s3.amazonaws.com/myriad-web/BRACAnalysisCDxTS.pdf

The majority of deleterious or suspected deleterious mutations identified by Myriad in *BRCA1* and *BRCA2* are classified using objective criteria based on the type and genomic position of the mutations. Other deleterious or suspected deleterious mutations may be classified by other criteria that are based on available evidence. Myriad's myVision® Variant Classification Program performs ongoing evaluations of variant classifications. In certain cases, the healthcare provider may be contacted for more clinical information or to arrange family testing to aid in variant classification. When new evidence about a variant is identified and determined to result in clinical significance and management changes, that information will automatically be made available to the healthcare provider through an amended report. If you have any questions or concerns about how the variant(s) in this result were classified, please contact Myriad.

Please contact Myriad at 1-800-469-7423 with any questions or feedback regarding services provided.

These test results should only be used in conjunction with the patient's clinical history and any previous analysis of appropriate family members. It is strongly recommended that these test results be communicated to the patient in a setting that includes appropriate counseling. This test was developed and its performance characteristics determined by Myriad Genetic Laboratories. Myriad is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

This **Authorized Signature** pertains to this laboratory report:

Benjamin B. Roa, PhD Diplomate ABMGG Laboratory Director

Genetic testing was completed by CLIA and CAP accredited laboratories in the United States located at: 322 N 2200 W, Salt Lake City, UT 84116 CLIA IDs: 46D2275645 The following personnel codes and laboratory director signature may reflect remote review of digital data: 4109, 4745





BRACAnalysis CDx® Genetic Test Result

Name: Pt Last Name, Pt First Name DOB: Nov 11, 1979 Accession #: 07383012-BLD Report Date: Nov 12, 2024

The following information has not been reviewed and approved by the FDA. This assay identifies patients at risk for Hereditary Breast and Ovarian Cancer (HBOC) syndrome associated with deleterious or suspected deleterious BRCA1 or BRCA2 variants. Additional information is provided for hereditary cancer management purposes.

ADDITIONAL TREATMENT INFORMATION

This assay is intended to be used as an aid in treatment decision making for the PARP inhibitors Lynparza® (olaparib), Zejula® (niraparib) and Talzenna® (talazoparib). Full prescription information for Lynparza® (olaparib) is available at: http://www.azpicentral.com/Lynparza/pi lynparza.pdf. Full prescription information for Zejula® (niraparib) is available at: https://gskpro.com/content/dam/global/hcpportal/en_US/Prescribing_Information/Zejula_Capsules/pdf/ZEJULA-CAPSULES-PI-PIL.PDF. Full prescription information for Talzenna® (talazoparib) is available at: https://labeling.pfizer.com/ShowLabeling.aspx?id=11046. For more detailed information including Performance Characteristics, please find the complete Technical Information at: https://myriad.com/technical-specifications.

ASSOCIATED CANCER RISKS AND CLINICAL MANAGEMENT

If a clinically significant mutation is identified, please see the management tool associated with this report for a summary of cancer risk and professional society medical management guidelines that may be useful in developing a plan for this patient. Testing of other family members may assist in the interpretation of this patient's test result.

DETAILS ABOUT NON-CLINICALLY SIGNIFICANT VARIANTS

All individuals carry DNA changes (i.e., variants), and most variants do not increase an individual's risk of cancer or other diseases. When identified, variants of uncertain significance (VUS) are reported. Likely benign variants (Favor Polymorphisms) and benign variants (Polymorphisms) are not reported and available data indicate that these variants most likely do not cause increased cancer risk. Present evidence does not suggest that non-clinically significant variant findings be used to modify patient medical management beyond what is indicated by the personal and family history and any other clinically significant findings.



Myriad Genetics Laboratories, Inc. 322 N 2200 W Salt Lake City, Utah 84116 PH: +1 (877) 283-6709 FX: +1 (801) 883-8998 www.myriad.com



Email: CustomerSupport@myriadgenetics.eu

EC REP

QbD RepS BV Groenenborgerlaan 16 2610 Wilrijk, Belgium





The Myriad Genetics BRACAnalysis CDx® test was developed and performance characteristics were determined by Myriad Genetic Laboratories, Inc. and in compliance to In-Vitro Diagnostic Device Directive (98/79/EC) and is CE marked. Myriad is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing. Myriad is compliant with multiple international standards including, ISO13485:2016 and ISO 15189: 2012 as applicable.

Sex assigned at birth refers to the classification of an individual as male or female, often based on physical characteristics at birth.

